

COMPLETE FREE PRACTICAL GUIDE

Choose a suitable adhesive using actual labels and material needs

A practical adhesive-choice method for original paper crafts and small decorative fabric projects, with a compatibility worksheet you can use before committing a finished piece.

STEADLEAF PRESS | MAKE / M01 Making Skills, Tools & Design | STP-MAKE-F015

Choose the joint before the bottle

A tidy handmade object can fail because the glue was chosen for the wrong task. A paper label may buckle, fabric may stiffen at the seam, or a decoration may detach after washing. Buying the strongest-sounding adhesive is not a reliable solution. First define **what touches what**, **how the object will be used**, and **which label directions you can actually follow**. Then choose the least complicated suitable product.

The practical result of this guide is a completed adhesive-selection record for one real project: the two materials, the intended bond, an exact product and label check, a small scrap assessment the reader can perform, and a clear GO / CHANGE / STOP decision. The printable companion includes a five-row material-and-use comparison, a product-label checklist and blank records. It deliberately does not endorse an unspecified brand or assume that all products in one category behave alike.

This is for ordinary **decorative paper or fabric crafts for adults**. It does not cover structural repairs, load-bearing straps, safety equipment, skin adhesives, food-contact items, medical use, toys for young children, flame-resistant textiles, upholstery safety components or garments meant to be protective. If a task falls into one of those categories, a generic craft glue guide is the wrong source. No adhesive was physically applied or tested by the publisher.

1. Describe the two surfaces and their movement

Write down both surfaces, not just the visible one. "Paper to paper" might mean thin uncoated writing paper, dense card or glossy coated paper; these accept water and adhesive differently. "Fabric" might mean a washed stable woven cotton, a stretchy knit, coated polyester or a delicate fabric with a finish that can repel glue. A material's appearance does not establish its absorbency or heat sensitivity.

Ask how the bond will be used. Will it remain flat inside a card, bend at a book cover, hang on a wall, flex repeatedly on a fabric pouch, become wet, or be laundered? A glue suitable for a dry mounted card is not thereby suitable for a sewn item's frequently flexed edge. A statement like "works on fabric" is less useful than the exact label's directions for **your fabric and laundering conditions**.

Record five facts before choosing: A = first surface, B = second surface, use = flat/flexible/washed, exposure = dry/humid/other, and visibility = whether staining or a visible glue line matters. If you cannot describe the material or intended use, pause rather than guessing from the bottle's name.

2. Read the full label, not a reassuring slogan

Check the exact product identity and whether its manufacturer states the actual material combination and use. Look for application quantity, open or repositioning time, clamping or pressure directions, drying time versus full cure, cleaning instructions, temperature and ventilation requirements, and any warning symbols. "Dry to the touch" and "fully cured" are not interchangeable. If the instructions give a full cure interval, do not demand strength or wash the piece before that interval expires.

Health Canada's art-material guidance recommends reading product labels and choosing lower-risk materials, with adequate ventilation and careful handling. Its comparison favors water-based white glue or paste over solvent-based

or quick-setting adhesives for lower-risk craft situations; this is a **risk-screening preference**, not a guarantee that any water-based adhesive will work for every surface [1]. Keep adhesives in their original marked containers and away from food and drink. Wash hands after working and follow the specific label for protective equipment.

You may see the **ACMI AP** or **CL** seal on art products. ACMI says its AP category is evaluated for non-injurious use as intended, while CL indicates cautionary labeling for identified risks. Read all instructions even when an AP seal is present; AP is **not** a waterproof, washable, archival, food-safe or bond-strength approval. CL is not a shortcut for choosing a glue for an adult project without reading its warnings. If unsure, use ACMI's current certified-products search rather than assuming that a whole brand is certified [2, 3].

Missing label, decanted mystery glue, severe warning you cannot meet, expired/deteriorated material, or unventilated use of a product that requires ventilation: **STOP**. Selecting a different labeled craft product is easier than improvising a chemical safety workaround.

3. Understand the families without inventing universal rules

Water-based liquid white craft or school glue: often a practical candidate for porous paper projects and some simple cloth-on-card decorations when the specific product says so. Manufacturers may list paper and cloth uses for particular school-glue formulas, but that claim must not be stretched to every fabric, to laundering or to an archival document [4]. Too much liquid can wrinkle paper, leave halos or soak through a thin fabric. Use controlled small amounts and a clean surface.

Glue stick: convenient for some light paper-to-paper work with a thin, even application. Some formulas are intended for office paper but not heavy textiles, slick coatings or permanent handmade book joints. A neat initial bond does not establish long-term holding strength. Check its specific paper/weight guidance.

Fabric-specific liquid adhesive: consider when fabric-to-fabric flexibility or wash resistance matters and the particular product explicitly supports those needs. Read the fabric preparation, finish compatibility, time to cure and washing instructions. "Fabric glue" on a label is not proof of suitability for a dense coated textile, elastic fabric, dry cleaning or a garment seam that bears real loads. Sewing may be more appropriate for a functional seam.

Double-sided tape or adhesive sheets: can give predictable neat paper placement when the exact material is compatible. Some tape adhesives creep, yellow, lose tack, or lift from textured paper. They are alternatives to evaluate, not universally archival or washable solutions. Do not hide thick adhesive behind a folded hinge where it prevents the card from closing.

Hot-melt glue, solvent sprays, epoxy, cyanoacrylate and contact adhesives: are not interchangeable with gentle paper glue. Hot tools can burn skin, some aerosol/solvent products can produce hazardous exposure and flammability risks, and quick-setting formulas can bond skin or damage materials. They are **outside this beginner selection exercise**. Do not substitute one merely because the first candidate is slow to dry. Health Canada specifically identifies aerosol adhesives and some solvent/quick-setting products as higher-risk compared with lower-risk water-based options [1].

4. Use a decision sequence for three ordinary projects

Example A: a folded paper greeting card. The surfaces are uncoated card and a light paper insert; the finished piece stays dry and bends only at the fold. Look first for an adhesive labeled for that exact paper-to-paper task. Position the glue away from the fold if the design allows. Plan how to prevent puddles and curling. A thin controlled application may be preferable, but the manufacturer's directions set the application method.

Example B: a pressed-leaf decoration on card. The plant must be completely dry, clean and known to be safe to handle before it goes near adhesive. Use only an adhesive labeled as compatible with the paper and the particular decorative material; if the label does not address delicate botanicals, treat the combination as uncertain. A light attachment at suitable contact points may be more attractive than coating fragile petals. A detached dried plant is a **loose small object** and not suitable for a child's play item.

Example C: a decorative cloth patch on a cotton pouch. The first question is whether the patch merely decorates the fabric or is expected to repair a seam or withstand laundering. For a purely dry display piece, a product that specifically permits fabric and the other surface might be considered. If the patch must survive repeated flexing or washing, seek explicit product guidance or choose stitching. Avoid assuming that a glue advertised for cards will do a textile repair.

These are decision examples, not test outcomes. A product approved for one candidate pairing is not automatically approved for another. If you cannot find instructions for the intended use, switch method or stop.

5. Prepare a simple, contained application area

Use a flat, washable protective mat or sacrificial sheet appropriate for the product, with light adequate to read its label. Move food and drinking vessels away. Place an extra piece of paper under a craft sheet so liquid does not contact valuable furniture. Choose ventilation as specified on the package. Set out only the materials and amount needed; do not blend different adhesives in hopes of creating a hybrid.

Close unused caps promptly, prevent spills, and store products where young children and pets cannot reach them. Even a product suitable for adult craft use is not edible and does not belong on the lips or skin. If product gets into eyes, on skin, or is swallowed, follow its own first-aid directions and seek appropriate medical or poison-information assistance. Do not use a household solvent to remove adhesive from skin unless the product's safety information expressly directs it.

If you are working with a product requiring special respiratory protection, flammable-vapor controls or chemical-resistant gloves that you cannot provide, it is not appropriate for this beginner project. Pick a safer labeled alternative rather than trying to engineer special controls from household items.

6. Keep the reader's scrap evaluation honest

Before committing an important card or fabric item, the reader may make a **small scrap comparison** using the same materials, finishes and glue, following the product's exact instructions. This is a personal suitability check, not a certification. Label one sample A/B, note the product, applied quantity or application method, room conditions and full drying or cure duration from the label. Do not invent a shorter time or heat the product to accelerate it unless expressly instructed.

For paper, observe whether the strip curls, stains, shows a ridge or becomes difficult to fold; for decorative fabric, observe unwanted stiffness, soak-through, discoloration or detachment in gentle handling. For a textile expected to be washed, follow the exact manufacturer's cure and laundering instructions before making your own suitability judgment. This guide does **not** prescribe a home wash test as proof of product safety or give a numerical pull-strength threshold. Record what you actually see, including "not tried" or "uncertain."

Do not deliberately load, suspend or stress-test a structural item with a scrap bond. If a garment, bag handle or safety-related object needs lasting strength, choose an appropriate construction or repair guide and do not infer it from an attractive glue spot.

7. Diagnose a disappointing result without escalating risk

Paper ripples or forms a wet patch. You may have applied too much water-bearing product or used a thin paper that absorbs unevenly. Stop before a large piece is spoiled. Try a smaller amount and a more suitable material on another scrap; do not heat an unknown adhesive or flatten a valuable paper item with improvised high pressure.

The cloth turns stiff. A rigid glue film may conflict with a flexible fabric. Find a fabric-specific product with directions for the intended movement or switch to stitching. Adding more glue will usually make this problem worse, not solve it.

The surface peels away. The surface may be coated, dirty, damp, incompatible, or not fully cured. Recheck the label and conditions instead of immediately applying a different chemical adhesive on top. Do not represent a failed joint as secure.

There is a strong odor or physical irritation. Stop work, follow the specific product instructions and move away from exposure as appropriate. Do not use an odor as a reliable measure of chemical safety; some hazards are not detectable by smell. Seek medical advice if symptoms persist or are significant.

You do not know how to clean up or dispose of the product. Consult the package and local disposal rules rather than pouring leftovers into a drain or treating every liquid as ordinary water. Never combine leftover products to reduce container count.

8. The finish decision: GO, CHANGE or STOP

Mark **GO** only if you know both surfaces, the intended conditions, the exact compatible glue, safe use precautions, the label's drying/cure instructions, and an acceptable result or appropriately bounded uncertainty. Mark **CHANGE** when the material, quantity or method needs adjustment and you can choose a documented alternative. Mark **STOP** if compatibility, product identity, hazard control or intended safety-related use remains unresolved.

A fictional planning example: Lina wants to attach a ribbon to a paper bookmark. Her first bottle lists use on paper but says nothing about fabric. Rather than claiming it is "safe for ribbon," she records the pairing as uncertain. She checks a manufacturer-labeled alternative and keeps the ribbon out of any load-bearing use. No finished adhesive bond or durability result is asserted by this fictional example.

The printable companion has five blank records: flat paper-to-paper, paper-to-coated card, dry botanical-to-card, fabric-to-fabric decoration, and fabric-to-paper accent. These are **prompts**, not blanket product approvals. Add the exact glue name, label-supported use, cure duration and your final decision. A credible craft guide helps you decide **not** to glue when the evidence is insufficient.

Sources and limits

[1] Health Canada, *Information for Art Class Teachers: Chemical Safety* (updated August 2025). Product labels, lower-risk water-based materials, ventilation, storage and hazards of solvent/quick-setting/aerosol adhesives.

[2] Art & Creative Materials Institute (ACMI), *Materials Safety*. AP and CL seals, toxicological review and intended-use limitations.

[3] ACMI, *Certified Products Search Tool*. Check the exact current product rather than assuming whole-brand certification.

[4] Elmer's, *On which surfaces my glue can be used?* Manufacturer's examples of particular formulas supporting different craft surfaces; not an endorsement of all formulas or a fabric-wash claim.

All comparisons, worksheet logic and diagrams are original Steadleaf Press editorial designs. Brand references identify sources, not sponsorship or product certification. A formula that works for one material, day or craft does not establish universal durability, conservation-grade permanence, food safety, skin safety or compliance. This guide's dimensions are illustrative; no physical glue application, prototype, chemical exposure or performance evaluation was conducted by the publisher.

Open cited source Open cited source Open cited source Open cited source

Choose the glue, not the slogan

A label-first decision record for ordinary adult paper and decorative fabric crafts.

1. MATERIALS

Write the exact two surfaces and the visible finish.

2. REAL USE

Flat, folded, flexible, handled or machine-washed?

3. LABEL FIT

Exact product permits both materials and intended use?

Record each possible pairing; do not treat a row as an endorsement.

MATERIALS	INTENDED USE	EXACT GLUE	LABEL / CURE
Paper / paper			
Coated card			
Dry plant / card			
Fabric / fabric			
Fabric / paper			

Three possible decisions

GO Exact label fits materials and intended use; no unresolved warning.

CHANGE Choose a different material, format or documented method.

STOP Identity, compatibility or exposure controls are unresolved.

A decision worksheet, not a certification of product safety or bond strength.

Record one actual product

Do not buy, mix or apply an adhesive based only on the family name.

Project / intended use

Surface A and finish

Surface B and finish

Manufacturer / exact product name

Where label confirms A + B

Warnings / protective precautions

Ventilation and work area

Application amount / pressure

Drying time vs. full cure

Handling / washing claim, if any

Scrap assessment: observed / not tried

Staining / stiffness / curl observation

Cleanup / local disposal directions

GO / CHANGE / STOP; next action

Read the actual container directions. Never substitute safety-critical or food-contact glue.

No model-specific adhesive is certified or tested by this worksheet.