Keep Even Spacing in a Repeating Border

Count eleven anchors per row and practise repeatable stitched spacing

A border is a measurement exercise

Repeated stitched marks look orderly when their starting points are planned. This original grid exercise lets you transfer eleven anchor positions across a 100 mm span, then practise a running-stitch row and a backstitch row. The aim is to notice changes in spacing, not to claim that a particular fabric or hand will yield perfectly identical stitches.

The actual-size counting diagram

PATTERN 1 contains a 120 x 60 mm rectangular teaching field with eleven printed dots PER ROW (22 dots total). Adjacent dot centres are 10 mm apart: ten intervals span 100 mm in each row. The array is centred, leaving 10 mm paper-field margins left and right and 20 mm above and below; the two rows are 20 mm apart. The outer box and row labels are paper-only guides, not embroidery paths.

A second card for counting

PATTERN 2 repeats a shorter set of exact 5, 10 and 20 mm line intervals as a visual comparison, plus a small alternating stitch-and-gap rhythm. It is a practice key, not another full border pattern. Two 50 mm bars on each page help identify printer scaling errors. If a bar is not exactly 50 mm on your print, correct the scaling rather than pretending the printed grid is precise.

Materials and safe handling

Choose a 200 x 200 mm square of evenly woven medium cotton or linen, two floss colours, a ruler, a removable fabric marker, a suitable hand needle, scissors and a 14 cm hoop if desired. The 100 mm stitched span fits within this hoop without needing to shift it. Spare needles and lengths of thread must stay out of reach of children and pets. Take breaks if your hands ache; remove and account for all needles after work.

If the final dot is beyond the stitching

A stitch-to-gap cycle may be shorter than its planned 10 mm span. Check the ruler marks and restart the affected section, or treat the difference as a learning note instead of placing a large compensating stitch at the end.

Measure and plan

Count dots and intervals separately

Eleven points PER ROW create TEN intervals per row, not eleven; both rows contain 22 dots total. Point 1 is at zero; point 11 is at 100 mm, because ten gaps multiplied by 10 mm equals 100 mm. A dot is the TARGET start of each next 10 mm running-stitch rhythm or a 10 mm checkpoint on the lower backstitched line. This distinction matters when a beginner compares a marked path with the ruler. Never add an extra interval at the last dot to fill the full 120 mm guide field.

Running stitch uses two shorter movements

For the first row, work a simple rhythm of approximately 5 mm visible stitch, then 5 mm gap. One complete rhythm is nominally 10 mm and fits between adjacent 10 mm anchors. The needle will make extra entry and exit points between the printed dots. The five-millimetre midpoint needle holes between dots are intentional. In a perfect 5 mm stitch plus 5 mm gap, the needle emerges exactly at the next dot; minor weave variation can shift the entry point slightly.

Backstitch can fill a solid comparison line

For the second row, work smaller backstitch lengths of about 5 mm, bringing the needle up ahead and returning to the previous stitch endpoint. Two 5 mm backstitches nominally span one 10 mm anchor interval. Shorten as needed if the weave, curve or stitch tension causes distortion; this is a practice guide, not fabric strength engineering.

Keep rows and grain parallel

The original 120 x 60 mm guide fits inside a 200 mm cloth square with 40 mm nominal margins left and right when centred. A 14 cm hoop can enclose the actual 100 mm stitched span; check that all fabric remains safely gripped and reposition only if necessary. Align horizontal rows with a straight thread in the cloth and use a ruler to mark the midpoint. Do not stretch the square to force dots to align; the grid must be transferred onto a relaxed, flat fabric.

Check the paper scale before fabric

Print PATTERN 1 and PATTERN 2 at Actual Size, with page fitting disabled. Measure each printed 50 mm bar. A 10 mm dot interval should agree with a ruler at the printed output as well; however, exact fit is not guaranteed unless you do that physical check yourself. This publisher has tested only the PDF vector geometry, not your printer or cloth.

What a record can teach

RECORD 1 asks for the ten printed interval lengths, floss strands and perceived changes in tension. RECORD 2 prompts a fair comparison of the open running-stitch row and continuous backstitch row. Counting is useful even when your stitch length varies because of fabric weave or eyesight. Correct one small section rather than pulling on an entire finished border.

If the fabric ripples

Backstitch and running stitch should lie on the cloth without drawing the weave together. Loosen the pull and check the hoop. If puckering remains, unpick a short section and retension gently rather than pressing it flat with force.

Originality and testing boundary

The grid, comparison card, all stitch-route diagrams, learner records and English prose are original. The print-scale values are calculated from vector coordinates. No physical stitching, actual print measurement, wash test, tension-strength test or learner outcome test was performed by the publisher.

Step-by-step / 1 to 7

1. Prepare the working area

Gather a dry fabric square, floss, needle, ruler, printer sheets, marker and optional hoop. Set a safe place for the needle between stitches and store spare needles away from children or pets.

2. Print and measure

Print both pattern sheets using Actual Size / 100%; do not choose Fit to Page. Check all four 50 mm scale bars with a physical ruler. If the printed bars are wrong, do not rely on the ten-millimetre dots for accurate spacing.

3. Prepare a relaxed cloth square

Cut or designate a 200 x 200 mm square along the straight grain. If prewashing is suitable for the cloth, let it dry and press it before tracing. Avoid stretching the diagonal fibres while aligning the fabric on the paper.

4. Mark the two rows with a ruler or light

Centre the 120 x 60 mm paper field on the cloth and align its long edge with the fabric grain. If the cloth is translucent, place the paper beneath it on a safe light pad and copy ELEVEN dots per row using an offcut-tested removable fabric pen. Otherwise mark 11 dots at exactly 10 mm intervals on each of two ruled baselines 20 mm apart. Do not transfer the outside rectangle or captions.

5. Verify eleven marks per row

Count ELEVEN marks on EACH row: 22 marks total. Measure from the first to the eleventh dot in each row: this should be 100 mm after correct transfer and print scale. Ten 10 mm intervals span the row; two rows sit 20 mm apart. A dot is the intended start of each 10 mm running rhythm.

6. Hoop without stretching

If using a hoop, smooth the cloth over the inner ring and secure the outer ring gently. Work on one row at a time; do not pull the warp and weft into an unnatural shape just to centre the pattern.

7. Choose two colours or label rows

Use one floss colour for running stitch in the upper row and a second for backstitch in the lower row, or keep the same colour and mark the records clearly. Start with two or three strands and a manageable 35–45 cm length.

Step-by-step / 8 to 14

8. Begin a 5-and-5 running rhythm

On the upper row, come up at dot 1, insert about 5 mm farther along the line, and surface again at dot 2 after a planned 5 mm gap. Dot 2 is the TARGET restart point of the next 10 mm cycle; a real weave may shift the needle slightly. Work one visible 5 mm segment and one 5 mm gap per 10 mm interval.

9. Count ten running cycles

Continue toward dot 11, checking every two intervals rather than pulling the line tight. Ten 10 mm cycles nominally cover the 100 mm dot-to-dot span. If your stitch lengths vary, note the change instead of hiding extra stitches past the last dot.

10. Anchor the running row

At dot 11, bring the working end to the back and secure beneath existing stitches without stretching the cloth. Trim loose tails safely. Use the record to mark any interval that looked longer or shorter than its neighbours.

11. Begin the backstitch row

On the lower row, label the first printed dot A (0 mm). Bring the needle up at A and make the first 5 mm stitch to an UNPRINTED midpoint B. Surface at the second printed dot C (10 mm) and stitch backward into B; the two stitches now fill the first 10 mm interval. Repeat 5 mm steps with the thread lying on the cloth rather than puckering it.

12. Fill the 100 mm lower span

Work two approximately 5 mm backstitches per 10 mm printed anchor interval until reaching the eleventh mark. Keep the line parallel with the top row and adjust gently for the weave; no claim of mechanically equal stitches is intended.

13. Compare and correct locally

Observe the difference between visible stitch-gap pairs above and the continuous backstitched line below. Remove and replace a few inaccurate stitches locally if desired. Do not stretch either completed row to force it to match the ruler.

14. Complete the counting record

Record the number of dots, ten intervals, chosen thread counts and spots where the rhythm changed. Check that all needles have been returned safely and remove marker dots only as the product directions allow; let any damp cloth dry fully.

STP-MAKE-F063 PATTERN 1 OF 2

Original even-spacing practice / 11 dots, 10 intervals, two rows.

REFERENCE: check all 50 mm bars with a physical ruler before tracing or cutting.



11 points per row = 10 gaps x 10 mm = 100 mm from first to last.

Rows: 20 mm apart. The bounding rectangle and labels stay on paper.

50 mm scale check (measure after printing)

50 mm scale check (measure after printing)

Actual Size (100%). No Fit to Page. Paper-only labels are not embroidery marks.

STP-MAKE-F063 PATTERN 2 OF 2

Original even-spacing practice / 11 dots, 10 intervals, two rows.

REFERENCE: check all 50 mm bars with a physical ruler before tracing or cutting.

RULER + STITCH RHYTHM / 1:1 calibration illustration.



5 mm exact vector segment (paper only)



10 mm exact vector segment (paper only)



20 mm exact vector segment (paper only)

RUNNING STITCH CYCLE: visible 5 mm, gap 5 mm; repeat 10 times.



Count ten intervals, not eleven. Never stretch cloth to force spacing.



50 mm scale check (measure after printing)



50 mm scale check (measure after printing)

Actual Size (100%). No Fit to Page. Paper-only labels are not embroidery marks.

MAKE / MEASURE / ADJUST

Count the anchors

Two rows; 11 dots per row, 22 in total. TEN spaces x 10 mm = 100 mm between endpoints.

Print checks

Pattern 1 50 mm bars A ____ / B ____; Pattern 2 A ____ / B ____.

Running row

Ten cycles with visible 5 mm / gap 5 mm starting goal; any variation _____.

Backstitch row

Two roughly 5 mm segments per 10 mm interval. Note unexpected spacing _____.

Fibre and tools

Cloth 200 x 200 mm; floss strands ____; hoop ____; counted needles ____.

MAKE / MEASURE / ADJUST

Compare rows

Running stitch has visible gaps; backstitch makes a continuous line. Observations _____.

Tension and shape

Puckers, irregular lengths, thread twist or shifts? _____.

Correct locally

Choose one small section to rework; note what the new interval measures _____.

Next practice

Count 11 anchor marks, not 11 gaps. Change colour or stitch type and compare _____.

Publisher boundary

No real fabric, stitch, printout, wash or tension trial has been performed by publisher.