
STEADLEAF PRESS

MEND / VISIBLE MENDING & DECORATIVE REPAIRS

Make a Simple Sashiko-Inspired Grid on Scrap Cloth

Original sashiko-inspired practice grid



Illustrative 4 mm dash / 8 mm gap; not a full-size pattern.

Practise a simple original running-stitch grid on scrap cloth, with attention to spacing, intersections and the Japanese tradition that inspires the exercise.

14 practical steps • Original diagrams and repair records

Illustrative repair plans — not physical test results

Before you start

Sashiko is a Japanese textile stitching tradition in which repeated running stitches have served both practical reinforcement and decoration. This small exercise is inspired by that broad technique, not a reproduction of a named traditional motif or an authoritative lesson in regional sashiko practices. It is for ordinary medium-weight woven scrap cloth only. Do not apply the exercise to protective clothing, a fragile garment or an unsupported hole. Cultural context: Metropolitan Museum of Art, Sashiko Jacket (Japan, nineteenth century), https://www.metmuseum.org/art/collection/search/50805 ; Museum of Arts and Design, Sashiko Embroidery workshop, https://madmuseum.org/events/sashiko-embroidery-artist-residence-jennie-maydew .

Materials

Two compatible woven cotton scraps (one base and optional backing), compatible smooth contrasting thread, suitable hand needle, ruler, paper, removable cloth-safe marker, clips or basting, and scissors for thread or scrap. Dark plain cloth and pale thread are optional. Use a thimble if appropriate; do not force the needle through thick layers.

Plan the repair

Create an original small practice grid of four horizontal and four vertical lines, approximately 12 mm apart on scrap; use an illustrative dash of 4 mm separated by an 8 mm gap for this layout. Centre each dash between intersections so the horizontal and vertical visible stitches do not meet at the nodes. Adapt the grid and thread to your fabric, keeping the proportions visually consistent rather than treating these measurements as rules of sashiko. Work each line separately with relaxed tension. The sample is a learning exercise, not a physical strength trial. Pattern 1 shows the original grid, and Pattern 2 shows a blank layout and the intersection detail.

Steps 1–2

1. Read the cultural note

Recognize sashiko as a Japanese practice with a history of repairing, reinforcing and patterning cloth. This original sampler borrows the running-stitch idea without claiming a traditional named design.

2. Select ordinary scrap

Choose a stable medium-weight woven scrap and optional compatible backing. Avoid a treasured garment or deteriorated textile for the first practice.

Steps 3–4

3. Choose thread and needle

Compare smooth thread with the weave and care instructions. Use a needle suited to the thickness; a heavy cord or forced needle can distort the sample.

4. Prepare the layers

Lay the scrap flat with grain directions aligned if using two layers. Baste the perimeter loosely, leaving the sample relaxed.

Steps 5–6

5. Draw the grid on paper

Sketch four horizontal and four vertical lines with approximately 12 mm spacing as an example. Mark the intersections as gaps, not stitch targets.

6. Set the dash rhythm

Centre a 4 mm face dash in each 12 mm interval, leaving an 8 mm gap between dashes in the example. Change both dimensions proportionally if the actual fabric needs a different scale.

Steps 7–8

7. Transfer the guide

Use a suitable removable marker on the scrap. Draw the outside margins and four lines in each direction. Leave enough sound material beyond each end for securing the thread.

8. Practice the running stitch

Take a few stitches on a spare area, maintaining even relaxed gaps. Adjust the needle, thread and tension before following the main grid.

Steps 9–10

9. Sew the horizontal lines

Work each line with a separate short thread or a securely ended route. Start and finish in sound cloth beyond the motif without long floats across the reverse.

10. Sew the vertical lines

Repeat along the vertical guides, keeping each face dash centred between the horizontal lines. Do not pierce the horizontal stitch at an intersection.

Steps 11–12

11. Observe the junctions

At each crossing of drawn guides, the visible stitches leave a small clear space. If a dash crosses a node, adjust only the new stitch if the scrap allows it.

12. Secure and clean up

Weave or secure thread ends in sound material without bulky knots. Remove basting and markings by a method permitted for the scrap.

Steps 13–14

13. Compare the sample

Observe both faces while flat and relaxed. Note the spacing, consistency and any gathering. This is a visual practice record, not evidence of strength.

14. Record your own version

Write down actual grid spacing, dash and gap lengths, thread and observations. If applying the skill later, select an appropriate separate patch method and keep the cultural attribution.

Fix, care and preserve

The grid intersections become bulky

Keep dashes clear of crossing nodes in this particular sampler. Remove and redo a misplaced new stitch only if the scrap is sound.

Lines bend or narrow the scrap

Reduce tension and work with the cloth relaxed. Check whether your marking lines follow the grain and whether the backing has shifted.

The reverse has long thread runs

End each line independently or use short discreet paths in sound cloth. Avoid long loops or taut connections.

The sample resembles a familiar design

Describe it accurately as an original simple practice grid inspired by sashiko; do not imply a historic named pattern or invent a regional attribution.

Originality and evidence boundary


Original Steadleaf English prose, design, diagrams and records. Follow the actual item, textile and tool instructions. No physical repair, durability, load, strength, washing, flame-resistance or compatibility testing was performed by the publisher. Ordinary adult garments and non-technical household textiles only; no safety or performance certification.

Print the following pages separately if desired. Schematics are illustrative, not full-size cutting patterns. Record only actual observations.

Pattern 1

Original grid practice: four horizontal and four vertical guides spaced at an illustrative 12 mm. Each visible dash is centred between two nodes (4 mm dash, 8 mm gap in the example). The diagram uses a scale enlargement and is not a full-size pattern. Clearly label the empty intersection and horizontal/vertical stitch routes.

Original sashiko-inspired practice grid




Illustrative 4 mm dash / 8 mm gap; not a full-size pattern.

Pattern 2

Intersection detail and blank grid: enlarge one cell, showing the central horizontal and vertical running-stitch dashes stopping clear of each node. Provide a blank four-by-four guide grid for the reader’s chosen spacing. Attribution: sashiko is a Japanese tradition; this is a Steadleaf practice layout, not a named traditional pattern.

Leave the crossing nodes clear

Intersection detail



Your practice grid

Guide interval: _____

Japanese tradition; original Steadleaf practice grid, not a named motif.

Record 1 — Materials and repair plan

Record actual observations only. Use UNKNOWN or NOT CHECKED for anything you have not established.

Scrap / weave / layers

Thread / needle / care

Grid interval / unit

Face dash and gap / unit

Chosen blank margin

Marking and basting

Intersection clearance plan

Cultural attribution retained?

Record 2 — Finish and follow-up

Record actual observations only. Use UNKNOWN or NOT CHECKED for anything you have not established.

Actual grid / stitch dimensions

Horizontal and vertical rows

Relaxed shape / junctions

Reverse floats and secured ends

All marking / basting removed?

Any optional care observation

Next practice change

Date / follow-up