Use Pot Weight to Judge Drying

Learn the feel of one familiar pot.



Photograph: Pothos (Epipremnum aureum) in an inner pot and blue outer container, by Matt Stevens (Pitt County). A reminder to notice which parts you compare, not a weight or moisture test. No pet-safe placement claim.

A small pot often feels noticeably lighter as its mix dries. Learning that change can make your usual moisture check quicker and more informative. The useful comparison is with **the same plant and pot**, not with a neighbour on the shelf.

This guide uses weight by feel, with no scale or new equipment required. You will build two references during normal care: freshly watered and drained, and ready for the next watering according to that plant's needs. "Drier" does not mean deliberately bone-dry.

Use a small, stable plant you can lift comfortably. Keep heavy, fragile, thorny, hanging or awkwardly supported plants in place and use another suitable moisture check instead.

Choose what you will lift

Keep the comparison consistent

Decide which parts belong in every check: the plant, its growing pot, mix and any support that stays attached. Write them down. An outer decorative pot, a wet saucer or a newly added stake changes the weight even if the mix has not changed.

Where a small nursery pot lifts out safely, comparing that growing pot alone can make the change easier to notice. Use the same arrangement each time. Do not force a tight-fitting pot out or remove supports merely to create a cleaner comparison.

If the assembly cannot stay consistent, record what changed and treat the old comparison cautiously. The aim is a helpful habit, not a perfect measurement.

Try a comfortable, low lift

Set up over a clear, stable surface. Support the pot securely, including its base, and lift only enough to feel its weight; then set it back down gently. Hold the container, not stems, leaves or a plant stake. Skip the lift if your grip or balance is uncertain.

Keep the outside of the pot dry enough to grip. After handling, wash your hands. Nothing needs to be unpotted for this exercise.

My comparison assembly: _____

Parts excluded every time: _____

My usual plant-specific moisture check: _____

Build two useful references

Maryland Extension describes lifting the plant and pot to notice weight change. Purdue likewise identifies weight as a useful indicator for small plants. Pair this clue with the mix's condition rather than using weight alone. [1, 2]

Reference A: watered and drained

At a watering the plant actually needs, water appropriately and allow excess water to drain. Empty the collection saucer. Once the pot is no longer dripping and can be handled safely, feel the weight of your chosen assembly and record it. [1]

This is your **watered-and-drained reference**, not a pot left soaking in water. You do not need to add extra water to make it maximally heavy.

Reference B: ready for normal watering

As the plant goes through its ordinary drying cycle, compare its weight with Reference A and perform your usual moisture check. When that independent check and the species' needs indicate it is time to water, note the weight feel before watering normally.

This is your **ready-to-water reference**. Do not delay care until the plant wilts, the mix shrinks away or the pot becomes as light as possible. Purdue advises watering before wilting; different plants need different degrees of drying. [2]

Learn again over the next normal cycle

Repeat the comparison during normal care. Look for a recognizable pattern, not an identical number of days. If the feel is hard to distinguish, keep the mix check as your main tool. Iowa State notes that weight judgement is subjective and that a growing plant becomes heavier over time. [3]

Put the clues together

Weight clue	Mix or care clue	Sensible next step
Similar to the watered-and-drained reference	Mix is still appropriately moist	Wait on watering; observe again as part of normal care.
Noticeably lighter than that reference	Mix has not yet reached this plant's watering point	Continue observing. Lighter does not automatically mean thirsty.
Similar to the ready-to-water reference	Independent moisture check also indicates watering is due	Water normally and refresh the drained reference afterwards.
Lighter, but the mix seems wet; or heavy, but accessible mix seems dry	The clues disagree	Recheck the assembly, collection water and accessible mix. Investigate rather than automatically adding water.
The plant, pot, mix or support has changed	Old references no longer compare like with like	Start fresh references during appropriate normal care.

An example of useful notes

Invented example: "After normal watering and drainage: clearly heavier. Later check: lighter, but accessible mix still moist enough for this plant, so I waited. At the next check, the plant-specific moisture cue said water was due; I recorded that lighter feel, watered and let it drain."

The example deliberately has no day count or weight percentage. Your hand is noticing a trend, not measuring how much usable water remains at every depth.

If a plant is declining: a weight clue cannot diagnose the cause. Wilting can occur with wet as well as dry conditions. Check the broader care picture and seek plant-specific help when needed. [1, 3]

Your wet-to-ready weight log

Plant / pot: _____ Started: _____

Assembly kept the same: _____

Species-specific watering cue and source: _____

Use plain words such as "heavier", "similar", "lighter" or "hard to tell". A blank entry is better than guessing. Record the mix cue separately.

Date / cycle	Weight feel	Independent mix cue	Action / changes
Cycle 1: drained	_____	_____	_____
Between	_____	_____	_____
Cycle 1: ready	_____	_____	_____
Cycle 2: drained	_____	_____	_____
Between	_____	_____	_____
Cycle 2: ready	_____	_____	_____

What I can recognize now: _____

_____

What needs a fresh reference? Repotting, a changed mix or pot, added or removed supports, substantial growth or pruning, or a change in which parts you lift. Record the change rather than forcing the old pattern to fit. [3; editorial application]

Sources and photograph

Primary guidance checked 2 November 2026. The paired references and log are original editorial tools for qualitative observation, not a calibrated moisture test. No plant was dried or weighed to produce this guide.

1. University of Maryland Extension, Watering Indoor Plants. Pot-weight change alongside other watering cues; drainage and symptom ambiguity. Only these sections are used here. https://extension.umd.edu/resource/watering-indoor-plants

2. B. Rosie Lerner, Purdue Extension, HO-39: Indoor Plant Care. Small-plant weight comparison and watering before wilting. Universal depths, fertilizer recipes and other unrelated instructions are not adopted. https://ag.purdue.edu/department/hla/extension/extension-publications-library/ext-pubs/ho-39-w.html

3. Randall Vos, Iowa State University Extension, Watering Plants in Containers and Plug Trays. Subjective weight judgement, changing plant mass and combining observations. The greenhouse moisture-level scale is not reproduced. https://yardandgarden.extension.iastate.edu/article/2025/04/watering-plants-containers-and-plug-trays

Photo credit: Matt Stevens (Pitt County), "Epipremnum aureum (Pothos) houseplant view", image 40476. Source: NC State Extension Gardener Plant Toolbox. https://plants.ces.ncsu.edu/plants/epipremnum-aureum/

Licence: CC BY 4.0. https://creativecommons.org/licenses/by/4.0/ Full frame proportionally resized and encoded; source rendition retained unchanged. No generated or retouched plant details. Hidden drainage and this specimen's weight or water needs are not inferred.